



Subsea Air Lift Bags & Inflatable Buoyancy Bags









www.liftek-intl.com

sales@liftek-intl.com

PRODUCTS & APPLICATIONS

PRODUCT NAME	PRODUCT CODE	
PARACHUTE SUBSEA AIRLIFT BAG	PSAB	
FULLY ENCLOSED SUBSEA AIRLIFT BAG	FESAB	
FULLY ENCLOSED CYLINDRICAL BAG	FECB	
SINGLE POINT BOUYANCY POD	SPBP	



Salvage



Cable/Pipe Laying




Search & Rescue



Marine Research



Dredging



Aquaculture



SINGLE POINT BOUYANCY POD (SPBP) WLL: 1MT to 5MT

- SPBP is the perfect solution for providing buoyancy support for pipe-laying operations.
- Designed and fabricated for withstanding "through-lifting" and asymmetric loading.
- All the lifting components used in SPBP have a minimum FOS of 5:1
- The buoyancy pod is fabricated with heavy-duty PVC fabric and has top and bottom stainless-steel lifting points fitted with a certified shackle.
- The stainless steel lifting points are connected internally within the pod, using a synthetic sling.
- SPBP comes equipped with filling/discharge ball valves and pressure relief valves.
- Low maintenance and easy to clean
- Meets relevant norms of IMCA D-016 Rev 4:2016 guideline







SINGLE POINT BOUYANCY POD (SPBP) WLL: FROM 1MT to 5MT

	<u>* </u>		
	Liftek		
MODEL	CAPACITY	INFLATED DIAMETER	INFLATED HEIGHT
SPBP-1MT	1000 KGS	95 CM	200 CM
SPBP-2MT	2000 KGS	130 CM	200 CM
SPBP-3MT	3000 KGS	155 CM	220 CM
SPBP-4MT	4000 KGS	160 CM	270 CM
SPBP-5MT	5000 KGS	165 CM	315 CM

All dimensions are approximate and subject to change without prior notice