



# Liftek<sup>®</sup>



## Subsea Air Lift Bags & Inflatable Buoyancy Bags




[www.liftek-intl.com](http://www.liftek-intl.com)


[sales@liftek-intl.com](mailto:sales@liftek-intl.com)

# PRODUCTS & APPLICATIONS

PRODUCT NAME	PRODUCT CODE
PARACHUTE SUBSEA AIRLIFT BAG	PSAB
FULLY ENCLOSED SUBSEA AIRLIFT BAG	FESAB
FULLY ENCLOSED CYLINDRICAL BAG	FECB
SINGLE POINT BOUYANCY POD	SPBP



**Salvage**



**Cable/Pipe Laying**




**Search & Rescue**



**Marine Research**



**Dredging**



**Aquaculture**

## **FULLY ENCLOSED SUBSEA AIRLIFT BAG (FESAB) WLL: 0.1MT TO 50MT**


- Perfect for lifting and buoyancy in shallow waters, slow towing, lowering draft, and surface flotation.
- Manufactured to FOS of 5:1 for the Airlift bag & FOS 7:1 for the Webbing Slings as per the design requirements of IMCA D-016 Rev 4:2016
- Bags are fitted with a top-mounted 3/4" inlet valve assembly and quick-release camlock coupling.
- Bags are integrated with appropriate number of high-quality pressure relief valve for automatic venting.
- Inflating and deflating the bags remotely enhances safety and expands the range of applications they can be used for.
- Clearly labeled Inversion Line attachment point at the crown, with a minimum breaking force of 1.5 x the WLL of the airlift bag.
- Fabricated from durable & UV-resistant 3 ply PVC fabric and RF welded seams for strength and integrity.
- Supplied with User Manual and Logbook



**Automatic Pressure Relief Valve**

# FULLY ENCLOSED SUBSEA AIRLIFT BAG (FESAB)

## WLL: 0.25MT to 50MT



SL NO.	MODEL	CAPACITY	INFLATED HEIGHT	INFLATED WIDTH	3/4" FILL/RELEASE VALVE
1	FESAB-0.1MT	100 KGS	125 CM	70 CM	<input checked="" type="checkbox"/>
2	FESAB-0.2MT	200 KGS	135 CM	85 CM	<input checked="" type="checkbox"/>
3	FESAB-0.25MT	250 KGS	145 CM	90 CM	<input checked="" type="checkbox"/>
4	FESAB-0.5MT	500 KGS	210 CM	125 CM	<input checked="" type="checkbox"/>
5	FESAB-1MT	1000 KGS	260 CM	145 CM	<input checked="" type="checkbox"/>
6	FESAB-2MT	2000 KGS	300 CM	175 CM	<input checked="" type="checkbox"/>
7	FESAB-3MT	3000 KGS	330 CM	210 CM	<input checked="" type="checkbox"/>
8	FESAB-5MT	5000 KGS	410 CM	225 CM	<input checked="" type="checkbox"/>
9	FESAB-10MT	10000 KGS	540 CM	275 CM	<input checked="" type="checkbox"/>
10	FESAB-15MT	15000 KGS	530 CM	335 CM	<input checked="" type="checkbox"/>
11	FESAB-20MT	20000 KGS	575 CM	370 CM	<input checked="" type="checkbox"/>
12	FESAB-25MT	25000 KGS	630 CM	385 CM	<input checked="" type="checkbox"/>
13	FESAB-30MT	30000 KGS	610 CM	405 CM	<input checked="" type="checkbox"/>
14	FESAB-35MT	35000 KGS	650 CM	420 CM	<input checked="" type="checkbox"/>
15	FESAB-50MT	50000 KGS	755 CM	500 CM	<input checked="" type="checkbox"/>

*All dimensions are approximate and subject to change without prior notice*